



SEO-215-42



Category: 2 Line Picket Railing

Product Specs

- Material:** EXTRUDED ALUMINUM GRADE 6000 SERIES T5 OR T6 AS AVAILABLE
- FABRICATION:** ALL RAIL SECTIONS TO BE WELDED.
- FINISH:** ALL PRODUCTS TO BE POWDER OR KYNAR COATED STANDARD COLOR UNLESS OTHER FINISHING METHOD IS REQUIRED.





Commercial
Aluminum Railing
@ 42" high

SEO-215-42

1-01-2008

AS NOTED

SEO-256-42



Category: 2 Line Picket Railing

Product Specs

- 1) **Material:** EXTRUDED ALUMINUM GRADE 6000 SERIES T5 OR T6 AS AVAILABLE
- 2) **FABRICATION:** ALL RAIL SECTIONS TO BE WELDED.
- 3) **FINISH:** ALL PRODUCTS TO BE POWDER OR KYNAR COATED STANDARD COLOR UNLESS OTHER FINISHING METHOD IS REQUIRED.





Commercial
Aluminum Railing
@ 42" high

SEO-256-42

Date: 1-01-2008
Note: AS NOTED

SEO-265-42



Category: 2 Line Picket Railing

Product Specs

- 1) **Material:** EXTRUDED ALUMINUM GRADE 6000 SERIES T5 OR T6 AS AVAILABLE
- 2) **FABRICATION:** ALL RAIL SECTIONS TO BE WELDED.
- 3) **FINISH:** ALL PRODUCTS TO BE POWDER OR KYNAR COATED STANDARD COLOR UNLESS OTHER FINISHING METHOD IS REQUIRED.





Commercial
Aluminum Railing
@ 42" high

SEO-265-42

1-01-2008
AS NOTED

SEO-267-42



Category: 2 Line Picket Railing

Product Specs



- 1) **Material:** EXTRUDED ALUMINUM GRADE 6000 SERIES T5 OR T6 AS AVAILABLE
- 2) **FABRICATION:** ALL RAIL SECTIONS TO BE WELDED.
- 3) **FINISH:** ALL PRODUCTS TO BE POWDER OR KYNAR COATED STANDARD COLOR UNLESS OTHER FINISHING METHOD IS REQUIRED.



Commercial
Aluminum Railing
@ 42" high

SEO-267-42

SEO-285-42



Category: 2 Line Picket Railing

Product Specs



- Material:** EXTRUDED ALUMINUM GRADE 6000 SERIES T5 OR T6 AS AVAILABLE
- FABRICATION:** ALL RAIL SECTIONS TO BE WELDED.
- FINISH:** ALL PRODUCTS TO BE POWDER OR KYNAR COATED STANDARD COLOR UNLESS OTHER FINISHING METHOD IS REQUIRED.



Commercial
Aluminum Railing
@ 42" high

SEO-285-42
Date: 1-01-2008
Note: AS NOTED

SEO-295-42



Category: 2 Line Picket Railing

Product Specs

- 1) **Material:** EXTRUDED ALUMINUM GRADE 6000 SERIES T5 OR T6 AS AVAILABLE
- 2) **FABRICATION:** ALL RAIL SECTIONS TO BE WELDED.
- 3) **FINISH:** ALL PRODUCTS TO BE POWDER OR KYNAR COATED STANDARD COLOR UNLESS OTHER FINISHING METHOD IS REQUIRED.

